

## 学術大会会長　自己紹介

学生時代は山登りに熱中し、国内の 3000 m 峰（富士山以外）を全て制覇し、飯ごうメシに満足（最高標高：5895 m）していましたが、社会人になると堕落し、ニセグルメに走り、今では Michelin の星の数が impact factor を上回り、メタボへの道を一直線。下手の横好きのテニスも今では学生に太刀打ちできなくなり、賀茂川散歩で寝たきり予防をしながら読書に引きこもっています。

過去に書いた科学エッセイを download できるようしてありますのでお時間のある時に御笑読下さい（MEDSi さんの許可は頂いておりますのでご心配なきよう）。

また、若い先生方と一緒に行った過去の仕事の一部を以下に記載しましたのでこの分野に興味のある先生、何なりとご質問下さい。

学会場で見かけたら気軽にお声をかけて下さいませ。

溝部 俊樹 挝

査読（これまで peer-review をしたことがある journal）

Nature Scientific Reports

Brain Research

Anesthesiology

Acta Anesthesia Scandinavica

Journal of Clinical Anesthesia

Journal of Neurosurgical Anesthesiology

Journal of Anesthesia

日本臨床麻酔学会雑誌

日本心臓血管麻酔学会雑誌

専門領域

臨床：心臓血管麻酔

周術期体温

血液凝固血小板機能

基礎：アドレナリン受容体

専門分野での主な業績

### 心臓血管麻酔

Nakayama Y, Inagaki Y, Nakajima Y, Sessler DI, Mukai N, Ogawa S, Mizobe T, Sawa T. A practical training program for peripheral radial artery catheterization in adult patient: A prospective randomized controlled trial. *Anesthesiology* 2016;125:716-23

Nakayama Y, Nakajima Y, Tanaka KA, Sessler DI, Maeda S, Iida J, Ogawa S, Mizobe T. Thromboelastometry-guided intraoperative haemostatic management reduces bleeding and red cell transfusion after paediatric cardiac surgery. *Br J Anaesth* 114:91-102, 2015

Takeshita J, Nakayama Y, Nakajima Y, Sessler DI, Ogawa S, Sawa T, Mizobe T. Optimal site for ultrasound-guided venous catheterisation in paediatric patients: an observational study to investigate predictors for catheterisation success and a randomised controlled study to determine the most successful site. *Crit Care* 19:15, 2015

Nakayama Y, Nakajima Y, Sessler DI, Ishii S, Shibasaki M, Ogawa S, Takeshita J, Shime N, Mizobe T. A novel method for ultrasound-guided radial arterial catheterization in pediatric patients. *Anesth Analg* 118:1019-26, 2014

溝部俊樹監訳. 経食道心エコーハンドブック 2D TEE、克誠堂出版、東京、2013  
(学会時に、第2版が発売予定です)

溝部俊樹監訳. 経食道心エコーハンドブック 3D TEE、克誠堂出版、東京、2013

溝部俊樹監訳. 解きながらレベルアップ：経食道心エコー問題集、真興交易医書出版部、東京, 2012

溝部俊樹監訳. 周術期経食道心エコー図：効率的に学ぶために、真興交易、東京、2011

Hosokawa K, Nakajima Y, Umenai T, Ueno H, Taniguchi S, Matsukawa T, Mizobe T.

Predictors of atrial fibrillation after off-pump coronary artery bypass graft surgery.  
British J Anaesthesia 98:575-80, 2007

Hosokawa K, Nakajima Y, Yaku H, Mizobe T. Evaluation of residual shunt flow of coronary artery fistulae by intra-operative transoesophageal echocardiography. Anaesthesia 61:814-815, 2006

Katoh Y, Nakajima Y, Yamagishi M, Mizobe T. Infection-induced pulmonary hypertension crisis after Rastelli procedure. Paediatric Anaesthesia 13:460-463, 2003

Maegawa Y, Mizobe T, Yamagishi M, Shime N, Tanaka Y. The use of nitrogen and nitric oxide to control pulmonary blood flow in Norwood's operation. J Cardiothoracic Vasc Anesth 16:264-266, 2002

Aoki H, Mizobe T, Nozuchi S, Hatanaka T, Tanaka Y. Vertebral Artery Pseudoaneurysm. A Rare Complication of Internal Jugular Vein Catheterization. Anesth Analg, 75: 296-298, 1992

### 周術期体温

Mizobe T, Sessler DI: Temperature monitoring. Civetta, Taylor, & Kirby's Critical Care, 5th Edition. Edited by Gabrielli A, Layon AJ, Yu M. Lippincott Williams & Wilkins, Philadelphia, pp285-301, 2018

Mizobe T, Sessler DI. Temperature monitoring. In: Civetta, Taylor, & Kirby's Critical Care, 4<sup>th</sup> edition, Gabrielli A, Layon AJ, Yu M, editors. Lippincott-Raven Publishers, Philadelphia: pp271-282, 2008

Umenai T, Nakajima Y, Sessler DI, Taniguchi S, Yaku H, Mizobe T. Perioperative amino acid infusion improves recovery and shortens the duration of hospitalization after off -pump coronary artery bypass grafting. Anesth Analg 103:1386-93, 2006

Mizobe T, Nakajima Y, Ueno H, Sessler DI. Fructose administration increases intraoperative core temperature by augmenting both metabolic rate and the vasoconstriction threshold. Anesthesiology 104:1124-30, 2006

Mizobe T, Nakajima Y, Sunaguchi M, Ueno H, Sessler DI. Clonidine produces a dose-dependent impairment of baroreflex-mediated thermoregulatory responses to positive end-expiratory pressure in anaesthetized humans. British Journal of Anaesthesia 94:536-41, 2005

Nakajima Y, Takamata A, Matsukawa T, Sessler DI, Kitamura Y, Ueno H, Tanaka Y, Mizobe T. Effect of amino acid infusion on central thermoregulatory control in humans. Anesthesiology 100;634-639, 2004

Kasai T, Nakajima Y, Matsukawa T, Ueno H, Sunaguchi M, Mizobe T. Effect of preoperative amino acid infusion on thermoregulatory response during spinal anaesthesia. British J Anaesth 90:58-61,2003

Nakajima Y, Takamata A, Ito S, Sessler DI, Kitamura Y, Shimosato G, Taniguchi S, Matsuyama H, Tanaka Y, Mizobe T. Upright posture reduces thermogenesis and augments core hypothermia. Anesth Analg 94:1646-1651,2002

Nakajima Y, Mizobe T, Matsukawa T, Sessler DI, Kitamura Y, Tanaka Y. Thermoregulatory response to intraoperative head-down tilt. Anesth Analg 94:221-226, 2002

Nakajima Y, Mizobe T, Takamata A, Tanaka Y. Baroreflex modulation of peripheral vasoconstriction during progressive hypothermia in anesthetized humans. American Journal of Physiology 279:R1430-1436, 2000

### 血液凝固血小板機能

Okabayashi S, Ogawa S, Tanaka KA, Nishiyama T, Takeshita S, Nakayama Y, Nakajima Y, Sawa T, Mizobe T. A Comparative Study of Point-of-Care Prothrombin Time in Cardiopulmonary Bypass Surgery. J Cardiothorac Vasc Anesth. 2018 ;32:1609-1614

Mukai N, Nakayama Y, Ishi S, Ogawa S, Maeda S, Anada N, Murakami S, Mizobe T, Sawa T, Nakajima Y. Changes in MicroRNA Expression Level of Circulating Platelets

Contribute to Platelet Defect After Cardiopulmonary Bypass. Crit Care Med. 2018;46:e761-e76

Mukai N, Nakayama Y, Murakami S, Tanahashi T, Sessler DI, Ishii S, Ogawa S, Tokuhira N, Mizobe T, Sawa T, Nakajima Y. Potential contribution of erythrocyte microRNA to secondary erythrocytosis and thrombocytopenia in congenital heart disease. Pediatr Res. 2018 ;83(4):866-873.

Ogawa S, Tanaka KA, Nakajima Y, Nakayama Y, Takeshita J, Arai M, Mizobe T. Fibrinogen measurements in plasma and whole blood: a performance evaluation study of the dry-hematology system. Anesth Analg 120:18-25, 2015

Beppu S, Nakajima Y, Shibasaki M, Kageyama K, Mizobe T, Shime N, Matsuda N. Phosphodiesterase 3 inhibition reduces platelet activation and monocyte tissue factor expression in knee arthroplasty patients. Anesthesiology 111:1227-37, 2009

Kageyama K, Nakajima Y, Shibasaki M, Hashimoto S, Mizobe T. Increased platelet, leukocyte, and endothelial cell activity are associated with increased coagulability in patients after total knee arthroplasty. J Thromb Haemost 5:738-45, 2007

Nozuchi S, Mizobe T, Aoki H, Hiramatsu N, Kageyama K, Amaya F, Uemura K, Fujimiya T. Sevoflurane does not inhibit human platelet aggregation induced by thrombin. Anesthesiology 92:164-170,2000

Mizobe T. Haematological effects of anaesthetics and anaesthesia. Curr Opin Anaesthetiol 12:437-441, 1999

Aoki H, Mizobe T, Nozuchi S, Hiramatsu N. In vivo and in vitro studies of the inhibitory effect of propofol on human platelet aggregation. Anesthesiology 88: 362-370, 1998

Aoki H, Mizobe T. Platelet aggregation inhibited by sevoflurane, or by ethanol? Anesthesiology 87: 1016, 1997

Aoki H, Inoue M, Mizobe T, Harada M, Imai H, Kobayashi A. Platelet function is inhibited by nitric oxide liberation during nitroglycerin- induced hypotension

anaesthesia. British J Anaesth 79: 476-481, 1997

### アドレナリン受容体

Sunaguchi M, Nishi M, Mizobe T, Kawata M. Real-time imaging of green fluorescent protein-tagged beta2 adrenergic receptor distribution in living cells. Brain Res 984:21-32,2003

Maze M, Mizobe T. Clinical applications of Alpha2 adrenergic agonists in the perioperative period: Neurobiologic considerations. In: Alpha2 adrenergic receptors; structure, function and therapeutic implications. Lanier SM, Limbird LE, editors. Harwood Academic Publishers, Amsterdam: pp161-170, 1998

Maze M, Buttermann A E, Kamibayashi T, Mizobe T. Alpha-2 adrenergic agonists. In: Textbook of Intravenous Anesthesia, White PF editors. Williams & Wilkins, Baltimore: pp433-445, 1997

Mizobe T, Maze M, Lam V, Suryanarayana S, Kobilka B. Arrangement of transmembrane domains in adrenergic receptors: Similarity to Bacteriorhodopsin. Journal of Biological Chemistry 271: 2387-9, 1996

Mizobe T, Maghsoudi K, Sitwala K, Guo TZ, Ou J, Maze M. Antisense technology reveals the alpha2 A adrenoceptor to be the subtype mediating the hypnotic response to the highly-selective agonist, dexmedetomidine in the locus coeruleus of the rat. J Clin Invest 98:1076-80, 1996

Mizobe T, Maze M. Molecular pharmacology of  $\alpha$ 2 adrenoceptors: Relevance to anesthesia. Annual of Anesthetic Pharmacology. Anesthesiology Clinics of North America volume 1: 1-26, 1996

Mizobe T, Maze M.  $\alpha$ 2 Adrenoceptor Agonists and Anesthesia. International Anesthesiology Clinics 33: 81-102, 1995